

MATERIAL SAFETY DATA SHEET

FOR COATINGS, RESINS AND RELATED MATERIALS

(Approved by U.S. Department of Labor "Essentially Similar" to Form OSHA-20)

DATE OF PREP: December 1, 1998

SECTION I				
MANUFACTURER'S NAME:	Tailored Chemical Products, Inc.			
STREET ADDRESS:	3719 1st Avenue SW (P.O. Box 4186) Hickory, NC. 28603			
TELEPHONE #:	(828) 322-6512			
EMERGENCY TELEPHONE #:	1-800-687-1687	MANUFACTURER'S CODE IDENTIFICATION		
PRODUCT CLASS:	AMINO PLAST FOAM SYSTEM			
TRADE NAME:	CORE-FILL 500 FOAM INSULATION			
SECTION II - HAZARDOUS INGREDIENTS				
INGREDIENT	PERCENT	EXPOSURE LIMITS	LEL	VAPOR PRESSURE
NITROGEN RESIN NOT CONSIDERED HAZARDOUS UNDER OSHA 29 CFR-1910.20 & 1925.59	99%	N/A	N/A	N/A
SECTION III - PHYSICAL DATA				
BOILING RANGE: N/A		VAPOR DENSITY: _HEAVIER_ _LIGHTER THAN AIR		
EVAPORATION RATE: _FASTER_ _SLOWER THAN ETHER		PERCENT VOLATILE BY VOLUME	WEIGHT PER GALLON: .7 LBS./CU. FOOT	
SECTION IV - FIRE AND EXPLOSION HAZARD DATA				
DOT CATEGORY: White Fluffy Foam		FLASH POINT: N/A		LEL: N/A
EXTINGUISHING MEDIA: N/A				
UNUSUAL FIRE AND EXPLOSION HAZARD: MATERIAL WILL NOT BURN UP TO 12000 DEGREES FARENHEIT				
SPECIAL FIRE FIGHTING PROCEDURES: NONE				

The information contained herein is furnished without warranty of any kind, except that it is accurate to the best knowledge of the manufacturer or obtained from sources considered to be accurate and the manufacturer does not assume any legal responsibility for the use or reliance upon same. Employees should use this information along with their own determinations to assure proper use and the safety and health of employees.

SECTION V - HEALTH HAZARD DATA

EXPOSURE LIMITS: N/A

EFFECTS OF OVEREXPOSURE:

EYES: CONTACT WITH FRESH FOAM MAY CAUSE PRIMARY EYE IRRITATION

SKIN: N/A

INHALATION: N/A

INGESTION: N/A

EMERGENCY AND FIRST AID PROCEDURES:

EYES: WASH OUT WITH COPIOUS QUANTITIES OF WATER

SKIN: NORMAL SOAP AND WATER

SECTION VI - REACTIVITY DATA

STABILITY UNSTABLE STABLE

CONDITIONS TO AVOID:

INCOMPATIBILITY (Materials to avoid): STRONG ACIDS

HAZARDOUS DECOMPOSITION PRODUCTS: AMMONIA, CARBON DIOXIDE, OXIDES OF NITROGEN

HAZARDOUS POLYMERIZATION: MAY OCCUR WILL NOT OCCUR

CONDITIONS TO AVOID: STRONG ACIDS

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: SWEEP UP FROM AREA AND CONTAIN IN PLASTIC GARBAGE BAGS

WASTE DISPOSAL METHOD: DISPOSAL MAY BE LANDFILL ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NONE REQUIRED

VENTILATION: NONE REQUIRED

PROTECTIVE EQUIPMENT OF CLOTHING REQUIRED: N/A

EYE PROTECTION: GOGGLES RECOMMENDED WHEN INSTALLING

OTHER PROTECTIVE EQUIPMENT: N/A

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: NONE REQUIRED

OTHER PRECAUTIONS: